

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	2	3
		% within Sex	.3%	4.9%	.8%
	13-19	Count	5	3	8
		% within Sex	1.6%	7.3%	2.2%
	20-24	Count	26	5	31
		% within Sex	8.2%	12.2%	8.6%
	25-29	Count	52	5	57
		% within Sex	16.3%	12.2%	15.8%
	30-39	Count	138	17	155
		% within Sex	43.3%	41.5%	43.1%
	40-49	Count	80	7	87
		% within Sex	25.1%	17.1%	24.2%
	50-59	Count	13	2	15
		% within Sex	4.1%	4.9%	4.2%
	60-69	Count	4		4
		% within Sex	1.3%		1.1%
Total	Count	319	41	360	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	189	9	198
		% within Sex	59.2%	22.0%	55.0%
	African American	Count	58	21	79
		% within Sex	18.2%	51.2%	21.9%
	Hispanic	Count	71	11	82
		% within Sex	22.3%	26.8%	22.8%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.3%		.3%
Total	Count	319	41	360	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	207		207
		% within Sex	64.9%		57.5%
	IDU	Count	16	7	23
		% within Sex	5.0%	17.1%	6.4%
	M-M & IDU	Count	28		28
		% within Sex	8.8%		7.8%
	Heterosexual Contact	Count	10	20	30
		% within Sex	3.1%	48.8%	8.3%
	Transfusion	Count	3		3
		% within Sex	.9%		.8%
	Not Classified	Count	54	12	66
		% within Sex	16.9%	29.3%	18.3%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	.3%	2.4%	.6%
	Ped Other-Undet	Count		1	1
		% within Sex		2.4%	.3%
Total		Count	319	41	360
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	1	197	198
		% within Adult-Ped	33.3%	55.2%	55.0%
	African American	Count	1	78	79
		% within Adult-Ped	33.3%	21.8%	21.9%
	Hispanic	Count	1	81	82
		% within Adult-Ped	33.3%	22.7%	22.8%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.3%	.3%
Total		Count	3	357	360
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	318	319
		% within Adult-Ped	33.3%	89.1%	88.6%
	Female	Count	2	39	41
		% within Adult-Ped	66.7%	10.9%	11.4%
Total		Count	3	357	360
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		1	1
		% within Sex		2.2%	.4%
	2-4	Count	1		1
		% within Sex	.4%		.4%
	13-19	Count	3	4	7
		% within Sex	1.3%	8.7%	2.5%
	20-24	Count	36	12	48
		% within Sex	15.7%	26.1%	17.5%
	25-29	Count	38	9	47
		% within Sex	16.6%	19.6%	17.1%
	30-39	Count	104	12	116
		% within Sex	45.4%	26.1%	42.2%
	40-49	Count	34	2	36
		% within Sex	14.8%	4.3%	13.1%
	50-59	Count	11	4	15
		% within Sex	4.8%	8.7%	5.5%
	60-69	Count	1	2	3
		% within Sex	.4%	4.3%	1.1%
	70+	Count	1		1
		% within Sex	.4%		.4%
Total		Count	229	46	275
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	139	14	153
		% within Sex	60.7%	30.4%	55.6%
	African American	Count	33	17	50
		% within Sex	14.4%	37.0%	18.2%
	Hispanic	Count	47	15	62
		% within Sex	20.5%	32.6%	22.5%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.4%		.4%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.4%		.4%
	Not Specified	Count	8		8
		% within Sex	3.5%		2.9%
	Total		229	46	275
			100.0%	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	147		147
		% within Sex	64.2%		53.5%
	IDU	Count	16	7	23
		% within Sex	7.0%	15.2%	8.4%
	M-M & IDU	Count	16		16
		% within Sex	7.0%		5.8%
	Heterosexual Contact	Count	6	23	29
		% within Sex	2.6%	50.0%	10.5%
	Transfusion	Count		2	2
		% within Sex		4.3%	.7%
	Not Classified	Count	43	13	56
		% within Sex	18.8%	28.3%	20.4%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	.4%	2.2%	.7%
	Total		229	46	275
			100.0%	100.0%	100.0%

a. EMA = Austin

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	151	153
		% within Adult-Ped	100.0%	55.3%	55.6%
	African American	Count		50	50
		% within Adult-Ped		18.3%	18.2%
	Hispanic	Count		62	62
		% within Adult-Ped		22.7%	22.5%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.4%	.4%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.4%	.4%
	Not Specified	Count		8	8
		% within Adult-Ped		2.9%	2.9%
Total		Count	2	273	275
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	228	229
		% within Adult-Ped	50.0%	83.5%	83.3%
	Female	Count	1	45	46
		% within Adult-Ped	50.0%	16.5%	16.7%
Total		Count	2	273	275
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	5	5	10
		% within Sex	.6%	2.9%	1.0%
	1 (12-23 mo)	Count		4	4
		% within Sex		2.3%	.4%
	2-4	Count	4		4
		% within Sex	.5%		.4%
	5-12	Count	2		2
		% within Sex	.2%		.2%
	13-19	Count	12	12	24
		% within Sex	1.5%	6.9%	2.4%
	20-24	Count	79	33	112
		% within Sex	9.8%	18.9%	11.4%
	25-29	Count	145	31	176
		% within Sex	18.0%	17.7%	18.0%
	30-39	Count	348	59	407
		% within Sex	43.2%	33.7%	41.5%
	40-49	Count	166	22	188
		% within Sex	20.6%	12.6%	19.2%
	50-59	Count	36	7	43
		% within Sex	4.5%	4.0%	4.4%
60-69	Count	7	2	9	
	% within Sex	.9%	1.1%	.9%	
70+	Count	1		1	
	% within Sex	.1%		.1%	
Total		Count	805	175	980
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	462	48	510
		% within Sex	57.4%	27.4%	52.0%
	African American	Count	155	85	240
		% within Sex	19.3%	48.6%	24.5%
	Hispanic	Count	172	42	214
		% within Sex	21.4%	24.0%	21.8%
	Asian-Pacific Islander	Count	3		3
		% within Sex	.4%		.3%
	Am Indian-Alaskan	Count	3		3
		% within Sex	.4%		.3%
	Not Specified	Count	10		10
		% within Sex	1.2%		1.0%
	Total		Count	805	175
			% within Sex	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	486		486
		% within Sex	60.4%		49.6%
	IDU	Count	56	34	90
		% within Sex	7.0%	19.4%	9.2%
	M-M & IDU	Count	67		67
		% within Sex	8.3%		6.8%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	26	72	98
		% within Sex	3.2%	41.1%	10.0%
	Transfusion	Count	3	3	6
		% within Sex	.4%	1.7%	.6%
	Not Classified	Count	155	57	212
		% within Sex	19.3%	32.6%	21.6%
	Ped Parent at Risk	Count	9	8	17
		% within Sex	1.1%	4.6%	1.7%
	Ped Other-Undet	Count	2	1	3
		% within Sex	.2%	.6%	.3%
Total	Count	805	175	980	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	8	502	510
		% within Adult-Ped	40.0%	52.3%	52.0%
	African American	Count	8	232	240
		% within Adult-Ped	40.0%	24.2%	24.5%
	Hispanic	Count	4	210	214
		% within Adult-Ped	20.0%	21.9%	21.8%
	Asian-Pacific Islander	Count		3	3
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		3	3
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		10	10
		% within Adult-Ped		1.0%	1.0%
Total		Count	20	960	980
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	11	794	805
		% within Adult-Ped	55.0%	82.7%	82.1%
	Female	Count	9	166	175
		% within Adult-Ped	45.0%	17.3%	17.9%
Total		Count	20	960	980
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	5	5	10
		% within Sex	.6%	2.9%	1.0%
	1 (12-23 mo)	Count		4	4
		% within Sex		2.3%	.4%
	2-4	Count	4		4
		% within Sex	.5%		.4%
	5-12	Count	2		2
		% within Sex	.3%		.2%
	13-19	Count	12	12	24
		% within Sex	1.5%	6.9%	2.5%
	20-24	Count	79	33	112
		% within Sex	9.9%	19.0%	11.5%
	25-29	Count	145	31	176
		% within Sex	18.2%	17.8%	18.1%
	30-39	Count	346	58	404
		% within Sex	43.4%	33.3%	41.6%
	40-49	Count	161	22	183
		% within Sex	20.2%	12.6%	18.8%
	50-59	Count	35	7	42
		% within Sex	4.4%	4.0%	4.3%
	60-69	Count	7	2	9
		% within Sex	.9%	1.1%	.9%
	70+	Count	1		1
		% within Sex	.1%		.1%
Total		Count	797	174	971
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count		2	2
		% within Sex		1.1%	.2%
	1 (12-23 mo)	Count	1		1
		% within Sex	.1%		.1%
	2-4	Count	1	2	3
		% within Sex	.1%	1.1%	.3%
	5-12	Count	5	5	10
		% within Sex	.6%	2.9%	1.0%
	13-19	Count	8	4	12
		% within Sex	1.0%	2.3%	1.2%
	20-24	Count	44	21	65
		% within Sex	5.5%	12.1%	6.7%
	25-29	Count	83	27	110
		% within Sex	10.4%	15.5%	11.3%
	30-39	Count	353	63	416
		% within Sex	44.3%	36.2%	42.8%
	40-49	Count	232	39	271
		% within Sex	29.1%	22.4%	27.9%
	50-59	Count	59	9	68
		% within Sex	7.4%	5.2%	7.0%
	60-69	Count	9	2	11
		% within Sex	1.1%	1.1%	1.1%
	70+	Count	2		2
		% within Sex	.3%		.2%
Total		Count	797	174	971
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	459	47	506
		% within Sex	57.6%	27.0%	52.1%
	African American	Count	153	85	238
		% within Sex	19.2%	48.9%	24.5%
	Hispanic	Count	169	42	211
		% within Sex	21.2%	24.1%	21.7%
	Asian-Pacific Islander	Count	3		3
		% within Sex	.4%		.3%
	Am Indian-Alaskan	Count	3		3
		% within Sex	.4%		.3%
	Not Specified	Count	10		10
		% within Sex	1.3%		1.0%
	Total		797	174	971
			100.0%	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	483		483
		% within Sex	60.6%		49.7%
	IDU	Count	56	34	90
		% within Sex	7.0%	19.5%	9.3%
	M-M & IDU	Count	67		67
		% within Sex	8.4%		6.9%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	26	72	98
		% within Sex	3.3%	41.4%	10.1%
	Transfusion	Count	3	3	6
		% within Sex	.4%	1.7%	.6%
	Not Classified	Count	150	56	206
		% within Sex	18.8%	32.2%	21.2%
	Ped Parent at Risk	Count	9	8	17
		% within Sex	1.1%	4.6%	1.8%
	Ped Other-Undet	Count	2	1	3
		% within Sex	.3%	.6%	.3%
	Total		797	174	971
			100.0%	100.0%	100.0%

a. EMA = Austin

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	8	498	506
		% within Adult-Ped	40.0%	52.4%	52.1%
	African American	Count	8	230	238
		% within Adult-Ped	40.0%	24.2%	24.5%
	Hispanic	Count	4	207	211
		% within Adult-Ped	20.0%	21.8%	21.7%
	Asian-Pacific Islander	Count		3	3
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		3	3
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		10	10
		% within Adult-Ped		1.1%	1.0%
Total		Count	20	951	971
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	11	786	797
		% within Adult-Ped	55.0%	82.6%	82.1%
	Female	Count	9	165	174
		% within Adult-Ped	45.0%	17.4%	17.9%
Total		Count	20	951	971
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		1	1
		% within Sex		2.7%	.5%
	2-4	Count	1		1
		% within Sex	.6%		.5%
	13-19	Count	2		2
		% within Sex	1.3%		1.0%
	20-24	Count	3	2	5
		% within Sex	1.9%	5.4%	2.5%
	25-29	Count	26	5	31
		% within Sex	16.3%	13.5%	15.7%
	30-39	Count	58	19	77
		% within Sex	36.3%	51.4%	39.1%
	40-49	Count	48	7	55
		% within Sex	30.0%	18.9%	27.9%
	50-59	Count	17	2	19
		% within Sex	10.6%	5.4%	9.6%
	60-69	Count	4	1	5
		% within Sex	2.5%	2.7%	2.5%
	70+	Count	1		1
		% within Sex	.6%		.5%
Total		Count	160	37	197
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	83	9	92
		% within Sex	51.9%	24.3%	46.7%
	African American	Count	37	18	55
		% within Sex	23.1%	48.6%	27.9%
	Hispanic	Count	39	10	49
		% within Sex	24.4%	27.0%	24.9%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.6%		.5%
	Total		160	37	197
			100.0%	100.0%	100.0%

a. EMA = Austin

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	91		91
		% within Sex	56.9%		46.2%
	IDU	Count	14	10	24
		% within Sex	8.8%	27.0%	12.2%
	M-M & IDU	Count	11		11
		% within Sex	6.9%		5.6%
	Heterosexual Contact	Count	11	13	24
		% within Sex	6.9%	35.1%	12.2%
	Transfusion	Count	1	1	2
		% within Sex	.6%	2.7%	1.0%
	Not Classified	Count	31	12	43
		% within Sex	19.4%	32.4%	21.8%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	.6%	2.7%	1.0%
Total	Count	160	37	197	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		92	92
		% within Adult-Ped		47.2%	46.7%
	African American	Count	1	54	55
		% within Adult-Ped	50.0%	27.7%	27.9%
	Hispanic	Count	1	48	49
		% within Adult-Ped	50.0%	24.6%	24.9%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.5%	.5%
Total	Count	2	195	197	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. EMA = Austin

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	159	160
		% within Adult-Ped	50.0%	81.5%	81.2%
	Female	Count	1	36	37
		% within Adult-Ped	50.0%	18.5%	18.8%
Total		Count	2	195	197
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1		1
		% within Sex	.5%		.4%
	13-19	Count	1	1	2
		% within Sex	.5%	2.5%	.9%
	20-24	Count	5	4	9
		% within Sex	2.7%	10.0%	4.0%
	25-29	Count	14	2	16
		% within Sex	7.6%	5.0%	7.1%
	30-39	Count	78	17	95
		% within Sex	42.2%	42.5%	42.2%
	40-49	Count	64	10	74
		% within Sex	34.6%	25.0%	32.9%
	50-59	Count	16	5	21
		% within Sex	8.6%	12.5%	9.3%
	60-69	Count	6	1	7
		% within Sex	3.2%	2.5%	3.1%
Total	Count	185	40	225	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	92	13	105
		% within Sex	49.7%	32.5%	46.7%
	African American	Count	40	21	61
		% within Sex	21.6%	52.5%	27.1%
	Hispanic	Count	50	5	55
		% within Sex	27.0%	12.5%	24.4%
	Asian-Pacific Islander	Count	1	1	2
		% within Sex	.5%	2.5%	.9%
	Not Specified	Count	2		2
		% within Sex	1.1%		.9%
Total	Count	185	40	225	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	105		105
		% within Sex	56.8%		46.7%
	IDU	Count	22	12	34
		% within Sex	11.9%	30.0%	15.1%
	M-M & IDU	Count	15		15
		% within Sex	8.1%		6.7%
	Hemophiliac	Count	1		1
		% within Sex	.5%		.4%
	Heterosexual Contact	Count	3	14	17
		% within Sex	1.6%	35.0%	7.6%
	Transfusion	Count		1	1
		% within Sex		2.5%	.4%
	Not Classified	Count	38	13	51
		% within Sex	20.5%	32.5%	22.7%
	Ped Parent at Risk	Count	1		1
		% within Sex	.5%		.4%
Total		Count	185	40	225
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		105	105
		% within Adult-Ped		46.9%	46.7%
	African American	Count	1	60	61
		% within Adult-Ped	100.0%	26.8%	27.1%
	Hispanic	Count		55	55
		% within Adult-Ped		24.6%	24.4%
	Asian-Pacific Islander	Count		2	2
		% within Adult-Ped		.9%	.9%
	Not Specified	Count		2	2
		% within Adult-Ped		.9%	.9%
Total		Count	1	224	225
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	1	184	185
		% within Adult-Ped	100.0%	82.1%	82.2%
	Female	Count		40	40
		% within Adult-Ped		17.9%	17.8%
Total		Count	1	224	225
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	8	8	16
		% within Sex	.2%	1.5%	.4%
	1 (12-23 mo)	Count	1	2	3
		% within Sex	.0%	.4%	.1%
	2-4	Count	4	1	5
		% within Sex	.1%	.2%	.1%
	5-12	Count		4	4
		% within Sex		.8%	.1%
	13-19	Count	9	11	20
		% within Sex	.2%	2.1%	.5%
	20-24	Count	162	44	206
		% within Sex	4.3%	8.3%	4.8%
	25-29	Count	638	90	728
		% within Sex	16.9%	17.0%	16.9%
	30-39	Count	1855	225	2080
		% within Sex	49.1%	42.5%	48.3%
	40-49	Count	864	102	966
		% within Sex	22.9%	19.2%	22.4%
	50-59	Count	188	31	219
		% within Sex	5.0%	5.8%	5.1%
	60-69	Count	41	8	49
		% within Sex	1.1%	1.5%	1.1%
	70+	Count	10	4	14
		% within Sex	.3%	.8%	.3%
Total		Count	3780	530	4310
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	2193	159	2352
		% within Sex	58.0%	30.0%	54.6%
	African American	Count	851	286	1137
		% within Sex	22.5%	54.0%	26.4%
	Hispanic	Count	718	82	800
		% within Sex	19.0%	15.5%	18.6%
	Asian-Pacific Islander	Count	7	3	10
		% within Sex	.2%	.6%	.2%
	Am Indian-Alaskan	Count	8		8
		% within Sex	.2%		.2%
	Not Specified	Count	3		3
		% within Sex	.1%		.1%
	Total	Count	3780	530	4310
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2404		2404
		% within Sex	63.6%		55.8%
	IDU	Count	548	229	777
		% within Sex	14.5%	43.2%	18.0%
	M-M & IDU	Count	377		377
		% within Sex	10.0%		8.7%
	Hemophiliac	Count	9		9
		% within Sex	.2%		.2%
	Heterosexual Contact	Count	104	193	297
		% within Sex	2.8%	36.4%	6.9%
	Transfusion	Count	19	16	35
		% within Sex	.5%	3.0%	.8%
	Not Classified	Count	305	76	381
		% within Sex	8.1%	14.3%	8.8%
	Ped Hemophiliac	Count	1		1
		% within Sex	.0%		.0%
	Ped Parent at Risk	Count	13	15	28
		% within Sex	.3%	2.8%	.6%
	Ped Other-Undet	Count		1	1
		% within Sex		.2%	.0%
	Total	Count	3780	530	4310
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	7	2345	2352
		% within Adult-Ped	25.0%	54.8%	54.6%
	African American	Count	15	1122	1137
		% within Adult-Ped	53.6%	26.2%	26.4%
	Hispanic	Count	6	794	800
		% within Adult-Ped	21.4%	18.5%	18.6%
	Asian-Pacific Islander	Count		10	10
		% within Adult-Ped		.2%	.2%
	Am Indian-Alaskan	Count		8	8
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		3	3
		% within Adult-Ped		.1%	.1%
Total		Count	28	4282	4310
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	13	3767	3780
		% within Adult-Ped	46.4%	88.0%	87.7%
	Female	Count	15	515	530
		% within Adult-Ped	53.6%	12.0%	12.3%
Total		Count	28	4282	4310
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	2	4
		% within Sex	.1%	.7%	.2%
	2-4	Count	3		3
		% within Sex	.2%		.2%
	5-12	Count		3	3
		% within Sex		1.0%	.2%
	13-19	Count	6	5	11
		% within Sex	.4%	1.7%	.6%
	20-24	Count	77	33	110
		% within Sex	4.8%	10.9%	5.7%
	25-29	Count	265	49	314
		% within Sex	16.3%	16.2%	16.3%
	30-39	Count	794	133	927
		% within Sex	49.0%	43.9%	48.2%
	40-49	Count	382	60	442
		% within Sex	23.6%	19.8%	23.0%
	50-59	Count	77	15	92
		% within Sex	4.8%	5.0%	4.8%
	60-69	Count	13	2	15
		% within Sex	.8%	.7%	.8%
70+	Count	2	1	3	
	% within Sex	.1%	.3%	.2%	
Total	Count	1621	303	1924	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	1 (12-23 mo)	Count		1	1
		% within Sex		.3%	.1%
	5-12	Count	5	2	7
		% within Sex	.3%	.7%	.4%
	13-19	Count	1	2	3
		% within Sex	.1%	.7%	.2%
	20-24	Count	7	8	15
		% within Sex	.4%	2.6%	.8%
	25-29	Count	68	22	90
		% within Sex	4.2%	7.3%	4.7%
	30-39	Count	555	116	671
		% within Sex	34.2%	38.3%	34.9%
	40-49	Count	722	110	832
		% within Sex	44.5%	36.3%	43.2%
	50-59	Count	211	34	245
		% within Sex	13.0%	11.2%	12.7%
	60-69	Count	47	6	53
		% within Sex	2.9%	2.0%	2.8%
	70+	Count	5	2	7
		% within Sex	.3%	.7%	.4%
Total		Count	1621	303	1924
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	887	90	977
		% within Sex	54.7%	29.7%	50.8%
	African American	Count	358	163	521
		% within Sex	22.1%	53.8%	27.1%
	Hispanic	Count	362	48	410
		% within Sex	22.3%	15.8%	21.3%
	Asian-Pacific Islander	Count	4	2	6
		% within Sex	.2%	.7%	.3%
	Am Indian-Alaskan	Count	7		7
		% within Sex	.4%		.4%
	Not Specified	Count	3		3
		% within Sex	.2%		.2%
Total	Count	1621	303	1924	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = Austin

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	959		959
		% within Sex	59.2%		49.8%
	IDU	Count	223	119	342
		% within Sex	13.8%	39.3%	17.8%
	M-M & IDU	Count	184		184
		% within Sex	11.4%		9.6%
	Hemophiliac	Count	2		2
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	61	114	175
		% within Sex	3.8%	37.6%	9.1%
	Transfusion	Count	5	2	7
		% within Sex	.3%	.7%	.4%
	Not Classified	Count	182	63	245
		% within Sex	11.2%	20.8%	12.7%
	Ped Parent at Risk	Count	5	4	9
		% within Sex	.3%	1.3%	.5%
	Ped Other-Undet	Count		1	1
		% within Sex		.3%	.1%
Total		Count	1621	303	1924
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	976	977
		% within Adult-Ped	10.0%	51.0%	50.8%
	African American	Count	6	515	521
		% within Adult-Ped	60.0%	26.9%	27.1%
	Hispanic	Count	3	407	410
		% within Adult-Ped	30.0%	21.3%	21.3%
	Asian-Pacific Islander	Count		6	6
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		7	7
		% within Adult-Ped		.4%	.4%
	Not Specified	Count		3	3
		% within Adult-Ped		.2%	.2%
Total	Count	10	1914	1924	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. EMA = Austin

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	5	1616	1621
		% within Adult-Ped	50.0%	84.4%	84.3%
	Female	Count	5	298	303
		% within Adult-Ped	50.0%	15.6%	15.7%
Total		Count	10	1914	1924
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	7	7	14
		% within Sex	.3%	1.5%	.5%
	1 (12-23 mo)	Count		4	4
		% within Sex		.8%	.1%
	2-4	Count	7		7
		% within Sex	.3%		.2%
	5-12	Count	2	3	5
		% within Sex	.1%	.6%	.2%
	13-19	Count	18	17	35
		% within Sex	.7%	3.6%	1.2%
	20-24	Count	156	66	222
		% within Sex	6.5%	13.8%	7.7%
	25-29	Count	410	80	490
		% within Sex	17.0%	16.8%	16.9%
	30-39	Count	1140	191	1331
		% within Sex	47.1%	40.0%	46.0%
	40-49	Count	543	82	625
		% within Sex	22.5%	17.2%	21.6%
	50-59	Count	112	22	134
		% within Sex	4.6%	4.6%	4.6%
	60-69	Count	20	4	24
		% within Sex	.8%	.8%	.8%
	70+	Count	3	1	4
		% within Sex	.1%	.2%	.1%
Total		Count	2418	477	2895
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total	
			Male	Female		
Current Age	0 (0-11 mo)	Count		2	2	
		% within Sex		.4%	.1%	
	1 (12-23 mo)	Count	1	1	2	
		% within Sex	.0%	.2%	.1%	
	2-4	Count	1	2	3	
		% within Sex	.0%	.4%	.1%	
	5-12	Count	10	7	17	
		% within Sex	.4%	1.5%	.6%	
	13-19	Count	9	6	15	
		% within Sex	.4%	1.3%	.5%	
	20-24	Count	51	29	80	
		% within Sex	2.1%	6.1%	2.8%	
	25-29	Count	151	49	200	
		% within Sex	6.2%	10.3%	6.9%	
	30-39	Count	908	179	1087	
		% within Sex	37.6%	37.5%	37.5%	
	40-49	Count	954	149	1103	
		% within Sex	39.5%	31.2%	38.1%	
	50-59	Count	270	43	313	
		% within Sex	11.2%	9.0%	10.8%	
	60-69	Count	56	8	64	
		% within Sex	2.3%	1.7%	2.2%	
	70+	Count	7	2	9	
		% within Sex	.3%	.4%	.3%	
	Total		Count	2418	477	2895
			% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1346	137	1483
		% within Sex	55.7%	28.7%	51.2%
	African American	Count	511	248	759
		% within Sex	21.1%	52.0%	26.2%
	Hispanic	Count	531	90	621
		% within Sex	22.0%	18.9%	21.5%
	Asian-Pacific Islander	Count	7	2	9
		% within Sex	.3%	.4%	.3%
	Am Indian-Alaskan	Count	10		10
		% within Sex	.4%		.3%
	Not Specified	Count	13		13
		% within Sex	.5%		.4%
	Total		2418	477	2895
			100.0%	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1442		1442
		% within Sex	59.6%		49.8%
	IDU	Count	279	153	432
		% within Sex	11.5%	32.1%	14.9%
	M-M & IDU	Count	251		251
		% within Sex	10.4%		8.7%
	Hemophiliac	Count	3		3
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	87	186	273
		% within Sex	3.6%	39.0%	9.4%
	Transfusion	Count	8	5	13
		% within Sex	.3%	1.0%	.4%
	Not Classified	Count	332	119	451
		% within Sex	13.7%	24.9%	15.6%
	Ped Parent at Risk	Count	14	12	26
		% within Sex	.6%	2.5%	.9%
	Ped Other-Undet	Count	2	2	4
		% within Sex	.1%	.4%	.1%
	Total		2418	477	2895
			100.0%	100.0%	100.0%

a. EMA = Austin

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	9	1474	1483
		% within Adult-Ped	30.0%	51.4%	51.2%
	African American	Count	14	745	759
		% within Adult-Ped	46.7%	26.0%	26.2%
	Hispanic	Count	7	614	621
		% within Adult-Ped	23.3%	21.4%	21.5%
	Asian-Pacific Islander	Count		9	9
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		10	10
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		13	13
		% within Adult-Ped		.5%	.4%
	Total	Count	30	2865	2895
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	16	2402	2418
		% within Adult-Ped	53.3%	83.8%	83.5%
	Female	Count	14	463	477
		% within Adult-Ped	46.7%	16.2%	16.5%
Total		Count	30	2865	2895
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin